


Prolite™

www.prolite.co.nz www.prolitemarine.com



Prolite Lighting Ltd

NZ\$

21 McMaster St Greytown New Zealand 5712

Ph +64 6 304 7111 tomkies@hotmail.co.nz

PRICE LIST TRADE July 2017

Subject to alteration and deletion at any time. E&O E.

BETA 3PIN PLUG

Beta 3 Pin Plug 10A Black Rubber 24 per display/ shipper **12.95**

BETA CORD CONN

Beta Cord Connector 10A Black Rubber 24 per display/ shipper **14.34**

BETA 3PIN CL

Beta 3 Pin Plug 10A Clear Rubber 24 per display/ shipper **13.22**

BETA15APLUG

Beta 3 Pin Plug 15A Black Rubber 10 per display/ shipper **19.67**

BETA15ACL

Beta 3 Pin Plug 15Amp Clear Rubber 10 per display/ shipper **20.00**

BETA CORD CONN CL

Beta Cord Connector 10A Clear Rubber 24 per display/ shipper **15.92**

BETA CO COUP (product to fit BETA only to other IP56)

BETA Connector Coupling Polymeric Orange IP56 **6.75**

BETA PL COUP (product to fit BETA only to other IP56)

BETA Plug Coupling Polymeric Orange IP56 **6.75**



STRIP LIGHT

SL112LED5

5 watt LED Striplight unswitched WHITE c/w lamp LED4W284 **42.40**

SL113LED5

5 watt LED Striplight switched WHITE c/w lamp LED4W284 **42.40**

SL112LED5BL

5 watt LED Striplight unswitched BLACK c/w lamp LED5W284 **42.40**

SL113LED5BL

5 watt LED Striplight switched BLACK c/w lamp LED5W284 **42.40**

SL112LED5GR

5 watt LED Striplight unswitched SLATE GREY c/w lamp LED5W284 **42.40**

SL113LED5GR

5 watt LED Striplight switched SLATE GREY c/w lamp LED5W284 **42.40**

LAMPLED5W284

284mm 5 watt LED double ended opal strip lamp 4,000K **21.67**



BULKHEADS

BULKHEADS - Double insulated, Wterproof IP66, Vandal proof IK08

UV resistant Polycarbonate, opal diffuser, black or white skirts.

P BH LED12/12	
Prolite 12W LED Bulkhead 12vDC 5,000K Doub insul, vandal resistant	96.67
P BH LED12/230	
Prolite 12W LED Bulkhead 90-240v 5,000KDoub insul, vandal resistant	96.67
P BH LED12/36	
Prolite 12W LED Bulkhead 36vDC 5,000K Doub insul, vandal resistant	96.67
P BH PL11	
Prolite PL11 Bulkhead 220- 240v c/w Lamp	106.00
P BH PL11/12	
Prolite PL11 Bulkhead 12v c/w Lamp	106.00
P BH PL11/12DUAL	
Prolite PL11 Dual Voltage Bulkhead 240/12v c/w lamp	198.00
P BH PL11/24	
Prolite PL11 Bulkhead 24v c/w Lamp	106.00
P BH PL11/36	
Prolite PL11 Bulkhead 36v c/w Lamp	106.00
P BH PL11/36DUAL	
Prolite PL11 Dual Voltage Bulkhead 240/36v c/w lamp	198.00
P BH PL18	
Prolite PL18 Bulkhead 220-240v c/w Lamp	118.00
P BH PL18/12	
Prolite PL18 Bulkhead 12v c/w Lamp	118.00
P BH GUARD	
Wire Guard for Prolite Fittings	68.40
P DIFF	
Prolite Bulkhead Diffuser Only - Diamond Shape	12.00
P DIFF FLAT	
Prolite Bulkhead Diffuser Only - Flat Surface	12.00
P SKIRT	
Prolite Bulkhead Skirt Only Black	6.00
P SKIRT WH	
Prolite Bulkhead Skirt Only White	6.00




LED MINI LIGHT

C/W with live wire connector and blanking plug. Waterproof IP56.

COMPLETE WITH INCORPORATED DRIVER

MLLEDFJ	Flexible joiner Allows daisy chain installation. 230mm pitch.	9.98
MLLEDSJ	Straight fixed joiner Allows daisy chain installation. Zero pitch.	3.99
ML12LED10	12volt 10watt un-switched 600mm LED 6,000K, end connect, daisy, Minilite White	90.00
ML24LED10	24volt 10watt un-switched 600mm LED 6,000K, end connect, daisy, Minilite White	90.00
ML36LED10	36volt 10watt un-switched 600mm LED 6,000K, end connect, daisy, Minilite White	90.00
MLED10	110-240volt 10watt un-switched 600mm LED 6,000K, end connect, daisy, Minilite White	49.50
MLEDC10	110-240volt 10watt un-switched 600mm LED 6000K, centre entry , no daisy, Minilite White	50.00
MLEDCPIR10	230-240volt 10watt LED incorp PIR switched 600mm, 6,000K, centre connect, no daisy.	60.00
ML3.5KLEDCPIR10	230-240volt 10watt LED incorp PIR switched 600mm, 3,500K, centre connect, no daisy.	60.00
ML12LEDS4.5	12volt 4.5watt switched 300mm LED 3,500K end connect, no daisy, Minilite White	75.00
ML24LEDS4.5	24volt 4.5watt switched 300mm LED 3,500K end connect, no daisy, Minilite White.	75.00
ML36LEDS4.5	36volt 4.5watt switched 300mm LED 3,500K end connect, no daisy, Minilite White.	75.00
MLEDS4.5	110-240volt 4.5watt switched 300mm LED 3,500K end connect, no daisy, Minilite White.	35.00
MLED4.5	110-240volt 4.5watt unswitched 300mm LED 6,000K end connect, daisy, Minilite White.	33.00
MLED20	110-240volt 10watt un-switched 600mm LED 5,000K, end connect, daisy, Minilite White	68.33
MLEDC20	110-240volt 10watt un-switched 600mm LED 5000K, centre entry , no daisy, Minilite White	78.00
MLEDPIRC20	230-240volt 10watt LED incorp PIR switched 600mm, 5,000K, centre connect, daisy, minilite	89.00



LED DOWN LIGHT Dimmable

Surface mount, waterproof IP66, 3,500K (Warm white). C/W low voltage cord connector.

13 watt White skirt

DL12LED13

9 - 30 volt 13watt LED 160mm dia x 22mm, 970LM, Downlite, white skirt. **130.00**

DL24LED13

24volt 13watt LED 160mm dia x 22mm, 970LM, Downlite, white skirt. **130.00**

DLLED13 Complete with DR18ULW driver.

110-240volt 13watt LED 160mm dia x 22mm, 850 LM, Downlite, white skirt. **140.00**

20 watt White skirt

DL24LED20

24volt 20watt LED 210mm dia x 22mm, 1520 LM, Downlite, white skirt. **150.00**

DLLED20 Complete with DR24ULW driver.

110-240volt 20watt LED 210mm dia x 22mm, 1250 LM, Downlite, white skirt. **160.00**

13 watt Black skirt

DL12LED13BL

9 -30 volt 13watt LED 160mm dia x 22mm, 970LM, Downlite, black skirt. **130.00**

DL24LED13BL

24volt 13watt LED 160mm dia x 22mm, 970LM, Downlite, black skirt. **130.00**

DLLED13BL Complete with DR18ULW driver.

110-240volt 13watt LED 160mm dia x 22mm, 850 LM, Downlite, black skirt. **140.00**

20 watt Black skirt

DL24LED20BL

24volt 20watt LED 210mm dia x 22mm, 1520 LM, Downlite, black skirt. **150.00**

DLLED20BL Complete with DRUL24W driver.

110-240volt 20watt LED 210mm dia x 22mm, 1250 LM, Downlite, black skirt. **166.00**

13 watt Metallic silver skirt

DL12LED13MS

9- 30volt 13watt LED 160mm dia x 22mm, 970LM, Downlite, metallic silver skirt. **130.00**

DL24LED13MS

24volt 13watt LED 160mm dia x 22mm, 970LM, Downlite, metallic silver skirt. **130.00**

DLLED13MS Complete with DRUL18W driver.

110-240volt 13watt LED 160mm dia x 22mm, 850 LM, Downlite, metallic silver skirt. **140.00**

20 watt Metallic silver skirt

DL24LED20MS

24volt 20watt LED 210mm dia x 22mm, 1520 LM, Downlite, metallic silver skirt. **150.00**

DLLED20MS Complete with DR24ULW driver.

110-240volt 20watt LED 210mm dia x 22mm, 1250 LM, Downlite, metallic silver skirt. **166.00**

Drivers 110-240vAC (to 24vDC) Dimmable

NB- Dimming max 10 x 13watt Downlites or 6 x 20watt Downlites.

DR18W Constant current. Max 10 D/L per dimmer in parallel, Kiwi Universal dimmer.

18watt 110-230vAC driver c/w quick connect low voltage plug (15mm cut out) **30.00**

DR24W Constant current. Max 6 D/L per dimmer in parallel, Kiwi Universal dimmer.

24watt 110-240vAC driver c/w quick connect low voltage plug (15mm cut out). **30.00**

P LED DR 60

110-240v/ 24vDC 60W LED Driver. **56.00**



Water tight connector
on DL & DR



SOFFIT LED LIGHT

SLLED3	9-30vDC 3 Watt LED 100mm Round x 8mm, 210 lumen, 3,000K. Anodised metallic silver.	30.00
SLLEDE3	9-30vDC 3 Watt LED 100mm Round, black Eyelid, 210 lumen, 3,000K. Anodised metallic silver.	42.00
SP LED DR	110-240/ 12v DC LED Driver Max 12w 1A (Constant current)	25.00
SP LED DR IP	110-240/ 12v DC LED Driver. Max 12W or 990mA. IP66 (Constant voltage)	40.00



SHADE Industrial type

SHADEES	Industrial type Ali 380 mm shade, 40mm hole suit ES Lamp holder, Colour FLINT	86.66
SHADE12WLED	Indust 380 mm shade, c/w 12W LED, 3,500K (WW), DRIVER, rose, flex and cable. Colour FLINT	275.00



TRANSFORMERS, DRIVERS

TRANSFORMERS, DRIVERS

SP50 R	12v 20- 60w 230-240/12v Electronic Transformer, Round	32.00
SP60 R IP	20w - 60w 230-240/ 12v Round IP66 Electronic Transformer	42.00
SP60 R 110	110v /12v 20-60w Electronic Transformer, Round	36.00
SP60 R IP 110	110v 20-60w IP66 Electronic Transformer, Round	51.00
SP105 R	50w - 105w 230-240/ 12v Electronic Transformer, Round	36.00
SP105 R IP	50w - 105w 230-240/ 12v IP66 Electronic Transformer, Round	48.50
SP LED DR	110-240/ 12v DC LED Driver Max 8w (Constant current)	25.00
SP LED DR IP	110-240/ 12v DC LED Driver. Max 12W or 990mA. IP66 (Constant voltage)	40.00
P LED DR 60	110-240v/ 24vDC 60W LED Driver.	56.00



Drivers 110-240vAC (to 24vDC) Dimmable

NB- Dimming max 10 x 13watt Downlites or 6 x 20watt Downlites.

DR18W Constant current. Max 10 D/L per dimmer in parallel, Kiwi Universal dimmer.	18watt 110-230vAC driver c/w quick connect low voltage plug (15mm cut out)	30.00
DR24W Constant current. Max 6 D/L per dimmer in parallel, Kiwi Universal dimmer.	24watt 110-240vAC driver c/w quick connect low voltage plug (15mm cut out).	30.00

BATTERIES

BAT D 1.2	D Cell 1.2v 4 Ahr Ni-Cad tags both ends	16.30
BAT D 2.4	D Cell 2.4v 4 Ahr Ni-Cad tags both ends	33.80
BAT D 3.6	Battery pack 3.6v Nicad 'D' 4 Ahr	50.70
BAT D 6V	Battery pack 6v Nicad cell (Egress) c/w Fly leads	84.50
BAT 4V8	Battery pack 4 x D 4.8v 4 Ahr Ni-Cad c/w Fly leads (Flat pack)	69.00
BAT 4V8 AA		



Battery pack 4 x AA 4.8v .7 Ahr Ni-Cad c/w Fly leads

33.80

ACCESSORIES

CONNECTION BOX

CONBOX

Pack 10 IP22

Connector box OD- 73 x 36 x 24 mm H ID- 67 x 30 x 21 mm H

4.50



FLUSH BOX

WFB

Pack 10

Welrd Flush Box. Extended flush box to take drivers. ID= 88 x 52 x 72 D mm

7.50



HDLHQC

Push insert quick connect G5.3 halogen Dichroic lamp holder

4.00



Copyright Prolite Lighting July 2016