


Prolite™

www.prolite.co.nz www.prolitemarine.com



Prolite Lighting Ltd

NZ\$

21 McMaster St Greytown New Zealand 5712

Ph +64 6 304 7111 tomkies@hotmail.co.nz

PRICE LIST Aug 2016

Subject to alteration and deletion at any time. E&O E.

PROLITE COURTESY LED LITE

Courtesy, Floor, Cockpit, Deck, Inside/ Outside Waterproof Light.

PCLEDWH

Courtesy Light IP68 316SS, 12V DC, 6 White LED, Rnd, c/w locknut & clips, 26mm cutout

33.00

PCLEDBL

Courtesy Light IP68 316SS 12V DC, 6 Blue LED, Rnd, c/w locknut & clips, 26mm cutout

33.00

SP LED DR

12v DC LED Driver Max 12w

30.00

SP LED DR IP

12v DC LED Driver. Max 12W or 990mA. IP66 (Constant voltage)

40.00



PROLITE BULKHEADS

BULKHEADS - Double insulated, IP66, Hi-efficiency Electronic Ballasts

UV resistant Polycarbonate, opal diffuser, black or white skirts.

P BH LED12/12

Prolite 12W LED Bulkhead 12DCv Doub insul, vandal resistant

96.67

P BH LED12/230

Prolite 12W LED Bulkhead 90-240v Doub insul, vandal resistant

120.00

P BH PL11

Prolite PL11 Bulkhead 220- 240v c/w Lamp

106.00

P BH PL11/12

Prolite PL11 Bulkhead 12v c/w Lamp

106.00

P BH PL11/12DUAL

Prolite PL11 Dual Voltage Bulkhead 240/12v c/w lamp

198.00

P BH PL11/24

Prolite PL11 Bulkhead 24v c/w Lamp

106.00

P BH PL11/36

Prolite PL11 Bulkhead 36v c/w Lamp

106.00

P BH PL11/36DUAL

Prolite PL11 Dual Voltage Bulkhead 240/36v c/w lamp

198.00

P BH PL18

Prolite PL18 Bulkhead 220-240v c/w Lamp

118.00

P BH PL18/12

Prolite PL18 Bulkhead 12v c/w Lamp

118.00

P BH GUARD

Wire Guard for Prolite Fittings

68.40



LED MINI LIGHT

C/W with live wire connector and blanking plug. Waterproof IP56. Nylon mount clips.

COMPLETE WITH INCORPORATED DRIVER

MLLEDFJ

Flexible joiner Allows daisy chain installation. 230mm pitch.

9.98

MLLEDSJ

Straight fixed joiner Allows daisy chain installation. Zero pitch.

3.99

ML12LED10

12volt 10watt un-switched 600mm LED 6,000K, end connect, daisy, Minilite White

90.00

ML24LED10

24volt 10watt un-switched 600mm LED 6,000K, end connect, daisy, Minilite White

90.00

ML36LED10

36volt 10watt un-switched 600mm LED 6,000K, end connect, daisy, Minilite White

90.00

MLLED10

110-240volt 10watt un-switched 600mm LED 6,000K, end connect, daisy, Minilite White

75.00

ML12LEDS4.5

12volt 4.5watt switched 300mm LED 3,500K end connect, no daisy, Minilite White

75.00

ML24LEDS4.5

24volt 4.5watt switched 300mm LED 3,500K end connect, no daisy, Minilite White.

75.00

ML36LEDS4.5

36volt 4.5watt switched 300mm LED 3,500K end connect, no daisy, Minilite White.

75.00

MLLEDS4.5

110-240volt 4.5watt switched 300mm LED 3,500K end connect, no daisy, Minilite White.

62.00

MLLED4.5

110-240volt 4.5watt unswitched 300mm LED 6,000K end connect, daisy, Minilite White.

62.00

CENTRE ENTRY MINILITE

Includes: flush box cover plate and fixings.

MLLEDC4.5

110-240volt 4.5watt unswitched 300mm LED 3,500K. **Centre entry**, no daisy Minilite White.

58.00

ML12LEDC10

12volt 10watt un-switched 600mm LED 6000K, **centre entry**, no daisy, Minilite White

75.00

MLLEDC10

110-240volt 10watt un-switched 600mm LED 6000K, **centre entry**, no daisy, Minilite White

75.00

MLLEDCPIR10

230-240volt 10watt LED incorp PIR switched 600mm, 6,000K, centre connect, daisy, minilite

82.00

TASKLITE

Different lengths and finishes available by negotiation. Crafted to order

TASKLITELED30WBL

30W LED 1.975 M x 42 x 70 mm High. c/w1 M cable and matching combo roses Black

793.00

TASKLITELED30WWH



30W LED 1.975 M x 42 x 70 mm High. c/w1 M cable and matching combo roses White

793.00

TASKLITELED30WMS

30W LED 1.975 M x 42 x 70 mm High. c/w1 M cable and matching combo roses Met Silver

793.00



LED DOWN LIGHT Dimmable

Surface mount, waterproof IP66, 3,500K (Warm white). C/W low voltage cord connector.

13 watt White skirt

DL12LED13

9 - 30 volt 13watt LED 160mm dia x 22mm, 970LM, Downlite, white skirt. **130.00**

DL24LED13

24volt 13watt LED 160mm dia x 22mm, 970LM, Downlite, white skirt. **130.00**

DLLED13 Complete with DR18ULW driver.

110-240volt 13watt LED 160mm dia x 22mm, 850 LM, Downlite, white skirt. **140.00**

20 watt White skirt

DL24LED20

24volt 20watt LED 210mm dia x 22mm, 1520 LM, Downlite, white skirt. **150.00**

DLLED20 Complete with DR24ULW driver.

110-240volt 20watt LED 210mm dia x 22mm, 1250 LM, Downlite, white skirt. **160.00**



13 watt Black skirt

DL12LED13BL

9 -30 volt 13watt LED 160mm dia x 22mm, 970LM, Downlite, black skirt. **130.00**

DL24LED13BL

24volt 13watt LED 160mm dia x 22mm, 970LM, Downlite, black skirt. **130.00**

DLLED13BL Complete with DR18ULW driver.

110-240volt 13watt LED 160mm dia x 22mm, 850 LM, Downlite, black skirt. **140.00**

20 watt Black skirt

DL24LED20BL

24volt 20watt LED 210mm dia x 22mm, 1520 LM, Downlite, black skirt. **150.00**

DLLED20BL Complete with DR24ULW driver.

110-240volt 20watt LED 210mm dia x 22mm, 1250 LM, Downlite, black skirt. **166.00**



13 watt Metallic silver skirt

DL12LED13MS

9- 30volt 13watt LED 160mm dia x 22mm, 970LM, Downlite, metallic silver skirt. **130.00**

DL24LED13MS

24volt 13watt LED 160mm dia x 22mm, 970LM, Downlite, metallic silver skirt. **130.00**

DLLED13MS Complete with DRUL18W driver.

110-240volt 13watt LED 160mm dia x 22mm, 850 LM, Downlite, metallic silver skirt. **140.00**

20 watt Metallic silver skirt

DL24LED20MS

24volt 20watt LED 210mm dia x 22mm, 1520 LM, Downlite, metallic silver skirt. **150.00**

DLLED20MS Complete with DR24ULW driver.

110-240volt 20watt LED 210mm dia x 22mm, 1250 LM, Downlite, metallic silver skirt. **166.00**

Water tight connector
on DL & DR



Drivers 110-240vAC (to 24vDC) Dimmable

NB- Dimming max 10 x 13watt Downlites or 6 x 20watt Downlites.

DR18W Constant current. Max 10 D/L per dimmer in parallel, Kiwi Universal dimmer.

18watt 110-230vAC driver c/w quick connect low voltage plug (15mm cut out) **30.00**

DR24W Constant current. Max 6 D/L per dimmer in parallel, Kiwi Universal dimmer.

24watt 110-240vAC driver c/w quick connect low voltage plug (15mm cut out). **30.00**

P LED DR 60

110-240v/ 24vDC 60W LED Driver. **56.00**



SOFFIT LED LIGHT

SLLED3	9-30vDC 3 Watt LED 100mm Round x 8mm, 210 lumen, 3,000K. Anodised metallic silver.	30.00
SLLEDE3	9-30vDC 3 Watt LED 100mm Round, black Eyelid, 210 lumen, 3,000K. Anodised metallic silver.	42.00
SP LED DR	110-240/ 12v DC LED Driver Max 12w 1A (Constant current)	25.00
SP LED DR IP	110-240/ 12v DC LED Driver. Max 12W or 990mA. IP66 (Constant voltage)	40.00



STRIP LIGHT

SL112	60W Striplight unswitched c/w SL0 2846 lamp	49.00
SL113	60W Striplight switched c/w SL0 2846 lamp	49.00
SL02846	284mm 60W opal strip lamp	15.00
SL112LED4	4 watt LED Striplight unswitched c/w lamp LED4W284	55.00
SL113LED4	4 watt LED Striplight switched c/w lamp LED4W284	55.00
LAMPLED4W284	284mm 4 watt LED double ended opal strip lamp	25.00



SHADE Industrial type

SHADEES	Industrial type Ali 380 mm shade, 40mm hole suit ES Lamp holder, Colour FLINT	86.66
SHADE12WLED	Indust 380 mm shade, c/w 12W LED, 3,500K (WW), DRIVER, rose, flex and cable. Colour FLINT	275.00



SURFKIT

SURFLEDSQSQBL	6W LED lamp square base square head black	53.00
SURFLEDSQSQWH	6W LED lamp square base square head white	53.00
SURFLEDSQSQMS	6W LED lamp square base square head metallic silver	53.00
SURFKITSQBL	Incorp 60va 12v trannie round base square head black	53.00
SURFKITSQWH	Incorp 60va 12v trannie round base square head white	53.00
SURFKITSQMS	Incorp 60va 12v trannie round base square head, paint finish, metallic silver	53.00
SURFKITGLMC	Incorp 60va 12v trannie round base round glass bowl head matt chrome	53.00



EMERGENCY LIGHTING

P DIFF

Prolite Bulkhead Diffuser Only - Diamond Shape **12.00**

P DIFF FLAT

Prolite Bulkhead Diffuser Only - Flat Surface **12.00**

P SKIRT

Prolite Bulkhead Skirt Only Black **6.00**

P SKIRT WH

Prolite Bulkhead Skirt Only White **6.00**

EXIT P H20

Exit Label for Prolite- Horizontal 50mm, 0-20m **7.80**

EXIT DELUX H20

Exit label horizontal arrows both dir, pick out. Full diff cover. **18.90**

EXIT P H40

Exit Label for Prolite- Horizontal 100mm, 0-40m **7.80**

EXIT P V20

Exit Label for Prolite - Vertical 50mm, 0-20m **7.80**

PEL11NM

Emergency bulkhead non maintained 2 hour PL11 lamp **192.00**



PLUGS & CONNECTORS

BETA 3PIN PLUG

Beta 3 Pin Plug 10A Black Rubber 24 per display/ shipper **12.95**

BETA CORD CONN

Beta Cord Connector 10A Black Rubber 24 per display/ shipper **14.34**

BETA 3PIN CL

Beta 3 Pin Plug 10A Clear Rubber 24 per display/ shipper **13.22**

BETA15APLUG

Beta 3 Pin Plug 15A Black Rubber 10 per display/ shipper **19.67**

BETA15ACL

Beta 3 Pin Plug 15Amp Clear Rubber 10 per display/ shipper **20.00**

BETA CORD CONN CL

Beta Cord Connector 10A Clear Rubber 24 per display/ shipper **15.92**

BETA CO COUP (product to fit BETA only to other IP56)

BETA Connector Coupling Polymeric Orange IP56 **6.75**

BETA PL COUP (product to fit BETA only to other IP56)

BETA Plug Coupling Polymeric Orange IP56 **6.75**

SUN PLUG BL

SUN 3 Pin Plug Polymeric Black 50 per shipper **4.63**

SUN PLUG WH

SUN 3 Pin Plug Polymeric White 50 per shipper **4.63**



ACCESSORIES

CONNECTION BOX

CONBOX

Pack 10 IP22

Connector box OD- 73 x 36 x 24 mm H ID- 67 x 30 x 21 mm H **4.50**



FLUSH BOX

WFB

Pack 10

Weld Flush Box. Extended flush box to take drivers. ID= 88 x 52 x 72 D mm **7.50**



HDLHQC

Push insert quick connect G5.3 halogen Dichroic lamp holder **4.00**



TRANSFORMERS, DRIVERS

TRANSFORMERS, DRIVERS

SP50 R

12v 20- 60w 230-240/12v Electronic Transformer, Round **32.00**

SP60 R IP

20w - 60w 230-240/ 12v Round IP66 Electronic Transformer **42.00**

SP60 R 110

110v /12v 20-60w Electronic Transformer, Round **36.00**

SP60 R IP 110

110v 20-60w IP66 Electronic Transformer, Round **51.00**

SP105 R

50w - 105w 230-240/ 12v Electronic Transformer, Round **36.00**

SP105 R IP

50w - 105w 230-240/ 12v IP66 Electronic Transformer, Round **48.50**

SP LED DR

110-240/ 12v DC LED Driver Max 12w 1A (Constant current) **25.00**

SP LED DR IP

110-240/ 12v DC LED Driver. Max 12W or 990mA. IP66 (Constant voltage) **40.00**

P LED DR 60

110-240v/ 24vDC 60W LED Driver. **56.00**

Drivers 110-240vAC (to 24vDC) Dimmable

NB- Dimming max 10 x 13watt Downlites or 6 x 20watt Downlites.

DR18W Constant current. Max 10 D/L per dimmer in parallel, Kiwi Universal dimmer.

18watt 110-230vAC driver c/w quick connect low voltage plug (15mm cut out) **30.00**

DR24W Constant current. Max 6 D/L per dimmer in parallel, Kiwi Universal dimmer.

24watt 110-240vAC driver c/w quick connect low voltage plug (15mm cut out). **30.00**

BATTERIES

BAT D 1.2

D Cell 1.2v 4 Ahr Ni-Cad tags both ends **16.30**

BAT D 2.4

D Cell 2.4v 4 Ahr Ni-Cad tags both ends **33.80**

BAT D 3.6

Battery pack 3.6v Nicad 'D' 4 Ahr **50.70**

BAT D 6V

Battery pack 6v Nicad cell (Egress) c/w Fly leads **84.50**

BAT 4V8

Battery pack 4 x D 4.8v 4 Ahr Ni-Cad c/w Fly leads (Flat pack) **69.00**

BAT 4V8 AA

Battery pack 4 x AA 4.8v .7 Ahr Ni-Cad c/w Fly leads **33.80**

